

MUSEI PETIVERIANI

CENTURIA Nona & Decima,

Rariora Naturæ Continens;

VIZ.

*Animalia, Fossilia, Plantas,*Ex variis Mundi plagis advecta, Ordine digesta,
& Nominibus propriis signata.A JACOBO PETIVER, Pharmacop. Londinens.
& Regiæ Societatis Socio.

Animalia & Fossilia. Animals and Fossils.

A 801. Auris marina *Anglica* nobis. Auris marina
Musæi Regal. Societ. 139. Gesner. *Animal. marina*
Epit. 224. Fig. 1, 2. A. mar. nostras Mus. Sib-
bald. 130. Art. 2. Auris marina Bonon. 91. Fig.
10, 11. Id. Ital. 141. Gesner. *Animal. marin.* Epit. 224. Fig.
1, 2. Mus. Regal. Societ. 139. Rondelet. *aquatil.* p. 5. c. 4.
Fig. id. Gallic. 3. c. 2. Fig. A. mar. quibusdam Lister. *Api-*
mal. Angliæ Histor. p. 167. Fig. 16. A. m. nostras Mus. Sib-
bald. 130. Art. 2. A. m. major, latior, plurimis foraminibus
eorumve vestigiis ad 40 circiter conspicua, clavícula elata,
List. Hist. *Conchyl.* Lib. 4. Sect. 7. Tab. 611. Fig. 2. *Patella*
altera major Bellon. *aquatil.* 395. Fig. *Patella feræ* five Aures
marinæ Aldrovand. *Animal. Exang.* p. 551. cap. 81. Fig. 1, 2.
id. edit. *Francos.* Tab. 17. p. 181. Fig. 1, 2. *Fenlon. aquat.*
Tab. 17. Fig. 4, 5. *Λαρίς ἀγέλα.* *Aristot.* The SEA-EAR,
Mother of Pearl, and by some NORMANS or Norman
Shell. These are found on our Coasts, but not common.

A 802

A. 802. *Balanus Anatifera*. Arbores *Anatifera* C. B. pin. 513. 1, 2, 3. A. *Conchifera* vel *Anatifera* falso dicta ut *Testina* ac *Balani* I. B. vol. 3. lib. 39. cap. 79. Fig. id. prodr. 120. pl. ult. Chabr. 580. Fig. 3, 4. *Balanus compressa* Mus. Reg. Soc. 148. *Britannica Conchæ Anatifera* Ger. 1391. c. 167. Fig. id. emac. c. p. Fig. *Concha Anatifera* Sibb. Prodr. Hist. Nat. Scot. part. 2. Lib. 3. c. 12. Tab. 18. Fig. 1, 2, 3. Mus. Wormian. 256. Fig. C. A. ex arbore dependentes Aldrov. Anim. Exang. 543. cap. 78. Fig. & C. A. trunco adherentes ex Lobelio Ejusd. 544. Fig. id. Franc. Tab. 16. Fig. 16 & 17. p. 176. C. *quinquevalvis compressa* tubulo quodam lignis aut *Algæ marinæ* adherens, Animal sui generis multis cirrhis instructum continens, falso dicta *Anatifera* Mus. Sibb. 170. 2. C. A. *marginæ lævi* List. H. C. 2, 3. Tab. 440. Fig. 283. Bonan. 95. Fig. 2. id. Ital. List. Exerc. Anatom. Tab. 7. Fig. 4, 5. an *Reri Apiya Brasil*. Langhals Belgis Marcgr. ed. 1. p. 188. c. 22. Fig. Flat Centre-shell. Mus. Reg. Soc. 148. BARNACLE-Shell. These I have often observed on Ships returned from the East-Indies.

A. 803. *Balanus maximus ore patulo*. an *Balanus major angustus purpurascens*, capitis apertura valde patente List. H. C. 1. 3. Tab. 443. Fig. 285. an B. *Polycipedes* Aldr. An. Exang. 1. 3. c. 73. p. 524. Fig. 4. id. Franc. 171. Tab. 15. Fig. 23. an *Balani* sive *Polycipedes* Fonst. An. Ex. Tab. 15. Fig. 16. p. 49. P. 7. I have seen these sticking to the sides of foul Ships.

A. 804. *Balanus noster parvus vulgaris*. B. *cinerens*, velut è senis laminibus striatis compositus, ipso vertice altera testâ, bifida, rhomboide occluso, List. A. A. 196. Fig. 41. ops. B. *parvus striatus* List. H. C. 1. 3. Tab. 444. Fig. 287. an *Lepas* adherens Rond. aq. 3. c. 2. Fig. id. Gall. 1. c. 1. Fig. id. Anim. marin. epit. 223. Fig. C. *Echini* 5. genus Rond. Hist. An. Ex. Tab. 13. an *Balani* alii à D. Ant. *Gigantis* communicati Aldr. An. Ex. 523. Fig. id. Franc. Tab. 15. Fig. 19. an B. *Gigantis* Fonst. An. Ex. Tab. 15. Fig. 15. p. 49. 1. 7. These commonly grow on other Shells, as Oysters, Muscles, &c.

A. 805. *Buccinum fluviatile nostras oblongum majus*. *Buccinum longum* 6 spirarum omnium & maximum & productius subflavum, pellucidum, in tenue acumen ex amplissima basi mucronatum, List. A. A. 137. Fig. 21. B. *subflavum pellucidum* sex orbium clavicula admodum tenui productiore, List. H. C. 1. 2. Tab. 123. Fig. 21. Bon. p. 119. Fig. 55. id. Ital. an *Turbo levis* 3 Aldr. An. Ex. 1. 2. c. 23. p. 359. Fig. 3. id. Franc. 122. Tab. 8. Fig. 3. ? I find these in vast numbers on Ponds about London.

A. 806. *Buccinum fluviatile nostras oblongum minus*. *Buccinum minus fuscum*, sex spirarum, ore angustiore, List. A. A. 138. Fig. 22. This differs from the last in being lesser, its mouth much narrower, and shell thicker.

A. 807. *Buccinum fluviat. nostras* breve, ore patulo. *Buccinum pellucidum subflavum* 4 spirarum mucrone acutissimo, testæ aperturâ omnium maximâ, *List. A. A.* 139. Fig. 23. B. *subflavum pellucidum* 4 orbium ore amplissimo, mucrone acuto, *List. H. C.* 1. 2. Tab. 123. Fig. 22. *Bon.* 119. Fig. 54. 2. *id. Ital.* These I find in the New-River which serves London with its water.

A. 808. *Buccinum fluviat. nostras*, testæ prætenui fragili. *Buccinum subflavum pellucidum* trium spirarum *List. A. A.* 140. Fig. 24. B. *subflavum pellucid.* trium orbium *List. H. C.* 1. 3. Tab. 123. Fig. 23. *Bon.* 119. Fig. 54. 1. *id. Ital.* I observe this thin brittle Shell, in slow running Rivers amongst the Reeds and Bul-rushes.

A. 809. *Buccinum marinum nostras* costis fasciatis & striatis. *Cap. R. S.* B. *crassum rufescens striatum & undatum* *List. A. A.* 156. Fig. 2. B. *brevirostrum tenuiter striatum* pluribus undatis sinubus distinctum *List. H. C.* 1. 4. Sect. 15. Tab. 962. Fig. 14. *Bon.* 136. Fig. opt. 189. *id. Ital.* *Mus. Sibb.* 150. Art. 2. 1. I have seen these from several places on our English Coasts.

A. 810. *Chama lata & compressa nostras*. *Chama fusca lata* planior *List. H. C.* 1. 3. Tab. 415. Fig. 259. *A. Concha longa lataque* in mediis cardinibus cavitate quadam Pyriformi insignita *List. A. A.* 170. Fig. 19. *An Bon.* 106. Fig. 59. ? *id. Ital.* *Bon.* 213. ? *An Chama Glycymeris Rond.* 39. 13. c. 11. Fig. *id.* Gall. 7. c. 8. Fig. *Ges. Animal. mar. Epit.* 231. descript. 230. Fig. *Fonst. An. Ex.* Tab. 14. Fig. 5. *Aldr. An. Ex.* 472. c. 63. Fig. *id. Franc.* 158. Tab. 13. Fig. Found on the shores of Lancashire and Yorkshire.

A. 811. *Chama nostras* striis capillaceis. *Chama fusca* striis tenuissimis donata, *List. H. C.* 1. 3. Tab. 423. Fig. 271. *An Chama aspera Rondelet. aquat.* 14. c. 12. Fig. *id.* Gall. 8. c. 9. Fig. *Ges. An. mar. Epit.* 231. Fig. *An Concha Rhomboides nostræ Aldr. An. Ex.* 469. Fig. *id.* Fr. 154. Tab. 12. Fig. 13, 14. CLAMS and by some PURRS. I have observed these on the shores near Maldon in Essex. Mr. Jezreel Jones hath brought me them from Lisbon; I have also had them from St. Ubes.

812. *Chama India utriusque striata*, extremitatibus intus ferè violaceis. *An Chama diffusor*, intus violacea striata ex purpura radiata *List. H. C.* 1. 3. Tab. 425. Fig. 273. Mr. Colvill Surgeon, brought me this from Pulo Verara an Island in the Straits of Malacca; and I find it the same with what I have received from the West-Indies.

A. 813. *Cochlea maritima nostras* crassa, fasciata. *Cochlea fusca*, fasciis crebris angustisque prædita, *List. A. A.* p. 162. Fig. *Bon.* 9. C. *nigrescens* dense at leviter striata, *H. C.* 1. 4. Sect. 5. Tab. 585. Fig. opt. 43. These are found plentifully about Scarborough, where they are called COVINS.

A. 814. *Cochlea fluviatilis vivipara Londinensis*. *Cochlea maxima fusca sive nigricans fasciata*, List. A. A. 133. Fig. 18. *C. vivipara fasciata*, List. H. C. 1. 2. Tab. 126. Fig. 26. I have observed these in the Thames, and at the Head of the New-River plentifully.

A. 815. *Cochlea fluviatilis vivipara Cantabrigiensis*. *Cochlea vivipara altera nostras testa tenuiori*, Fluvii Cham. List. H. C. Mantiss. Tab. 1055. Fig. 6. This very much resembles the last, but is a thinner and neater shell.

A. 816. *Glycymeris Cornubiensis crassa marmorata*. an *Pectunculus ingens variegatus ex rufo*, List. H. C. 1. 3. Tab. 247. Fig. 82. an *Chama Glycymeris Bellon. aquat.* 408. Fig. ? an Aldr. An. Ex. 471. c. 61. Fig. id. Fr. p. 158. Tab. 13. Fig. ? an Bon. 107. Fig. 60. id. Ital. p. 165. The Multiaarticulate Oyster. Mus. Reg. Soc. 144. Tab. 12. Fig. 5. I received this from about Falmouth in Cornwall. *Passer*

A. 817. *Libella maxima nemorum, pulchrè variegata*. L. Max. 6. Mof. 66. Fig. 3, 67. id. A. 941. Fig. 2. L. Max. 6. cum macula nigra in medio alarum & 2 spinulis in cauda Merr. pin. 197. an Perla 6. Aldr. Insect. 1. 2. p. 305. Fig. 6. id. Fr. p. 119. Tab. 5. Fig. 6. Jonst. Insect. Tab. 17. Fig. 6. p. 26. an Hoef. Tab. 2. Fig. 10? an Hollar. Tab. 6. Fig. 5. id. Wit. Tab. 4. Fig. 4? I have observed this beautiful Adder-bolt in Cane-wood between Hampstead and Highgate after Midsummer.

A. 818. *Libella major corpore compresso cœrulescente*. L. Max. 5. Mof. 66. Fig. 5. id. A. 941. F. 7. L. Max. 5. corpore & capite cæsiis, ore magno (pro nigro) cum 3 spinulis in cauda Mer. pin. 197. an Hoef. Tab. 11. Fig. 8. This and the next are often seen about Ponds between Midsummer and Autumn.

A. 819. *Libella major corpore compresso flavescente*. L. Max. 4. Mof. 66. Fig. 4, 87. id. A. 941. F. 6. L. Max. 4. lutea, cum 4 vel 5 spinulis in caudæ extremitate, Merr. pin. 197. an Perla 9 Aldr. Insect. 305. Fig. 9. id. Fr. 119. Tab. 5. Fig. 9? Jonst. Insect. Tab. 17. Fig. 3. f. ult.? I take this and the last to be Male and Female.

A. 820. *Musculus maritimus vulgatissimus edulis*. M. ex cœruleo niger List. A. A. 182. Fig. 28. M. subcœruleus fere virgatus List. H. C. 1. 3. Tab. 362. Fig. 200. an Musculi authoris Aldr. c. 71, 513. Fig. pron. & supin. id. Fr. 171. Tab. 15. an Jonst. An. Ex. Tab. 15. Fig. 3. p. 47. an *Mytilus* Bellon. aq. 398. Fig. Rond. aq. 48. c. 46. Fig. id. Gall. 34. c. 38. Fig. Aldr. An. Ex. 512. Fig. id. Fr. p. 171. Tab. 15. Fig. 3. Gesh. An. mar. Epit. 227. Fig. an Bon. 102. Fig. 30. id. Ital. 158. *Musculus Latinis*. *Moules Græcis*, *Mydia vulgò Græc.* *Morilles Gall.* *Cozza Tarentinis*. *Conchole Vener.* The Common SEA-MUSCLE.

821. *Musica Americana vulgaris*. *Buccinum Musicum* crassum clavicula muricata, *List. H. C.* 1. 4. Sect. 11. Tab. 805. Fig. 14. *Mus. Sibb.* 150. 1. an *Bon.* 154. Fig. 296. seu 155. Fig. 297. *id.* Ital. 242. s. 3. *This beautiful Shell is pretty common on the shores of Jamaica and Barbadoes.*

A. 822. *Ostrea vulg. esculenta*. *O. vulg. max. intus argenteo quodam splendore albescens*, *List. A. A.* 176. Fig. 26. *Mus. Sibb.* 161. Art. 1. *O. major fulcata inæqualiter utrinque ad cardinem denticulata*, *List. H. C.* 1. 3. Tab. 193. 4. Fig. 30 & 31. an *Ostrea marina*, *Jonst. An. Ex.* Tab. 14. Fig. 9? an *O. Britannica Ejusd.* p. 45. 4? *Ostrea Bon.* p. 108. Fig. 7. *id.* Ital. an *Caramis Gesn. An. mar. Epit.* p. 225. Fig. 8? **The Common O Y S T E R.**

A. 823. *Ostrea perlata*, capite foraminoso. *Bon.* 105. Fig. 56. *id.* Ital. p. 163. an *Ostrea Silvestris Scandebec Massiliensibus dicta*, *Rond. aq.* 40. c. 39. Fig. *id.* Gall. 29. c. 33. Fig. *Gesn. An. mar.* 225. Fig. *Aldr.* 491. c. 67. Fig. *id.* Fr. 162. Tab. 14. Fig. 5? *Jonst. An. Ex.* Tab. 14. Fig. 7. an *List. H. C.* 1. 3. Tab. 205. Fig. 39. **The Perforated P E A R L O Y S T E R.** *These are observed on our own and neighbouring Coasts.*

824. *Ostrea Americana arborea fulcata*. an *Ostrea arborea dorso uncato*, *List. H. C.* 1. 3. Tab. 197. 8. Fig. 32. an *Ostracea annexa baculo Aldr. An. Ex.* 1. 3. c. 68. p. 495. Fig. *id.* Fr. 162. Tab. 14. Fig. 12. **American TREE-OYSTER.** *These vary in shape according to the twigs they grow on; they are common in Barbadoes and Jamaica.*

A. 825. *Papilio albus vulgaris major*. *Goedart. v.* 1. p. 59. *AN 623* Tab. 11. *Graff. v.* 1. p. 9. Tab. 45. Fig. 2. *List. in Goed.* p. 166. 16. Fig. 7. **The Greater White Cabbage-Butterfly.** *This and the next produce Caterpillars which feed on the Cabbage.*

A. 826. *Papilio albus vulgaris minor*. *P. Diurn. med.* 5. *Moss. 103.* Fig. *ult. Dorf. & Lat. id.* A. 971. Fig. 9 & 10. f. *ult. Jonst. Insect.* 41. 5. Tab. 6. *med.* Fig. 6. *P. Diurn. med.* 5. corpore & antennis livescentibus, capite alisque pallidis *Merr. pin.* 198. 5. *Goed. v.* 1. p. 97. Tab. 27. *List.* p. 22. Fig. 8. *id.* A. p. 12. Tab. 1. Fig. 8. *Gr. vol.* 2. p. 77. Tab. 39. Fig. 1. *Hollar. Tab.* 11. Fig. 2. *id.* *Wit. Tab.* 1. Fig. 1. **The Lesser White Cabbage Butterfly.** *This and the last are very common in the Fields and Gardens most part of the Summer.*

A. 827. *Patella vulgaris Anglica*. *P. ex livido cinerea striata*, *List. A. A.* 195. Fig. 40. *P. vulg. ex livido cinerea Mus. Sibb.* 125. 1. *Very frequent on our English Coasts.*

828. *Patella Capensis striis verrucosis*. *P. subfusca exiguis tuberculis secundum strias exasperata* *List. H. C.* 1. 4. Sect. 1. Tab. 536. Fig. 15. *This Mr. Hill and Mr. Perry have brought me from the Cape of Good Hope.*

A. 829. *Pecten major nostras vulgaris*. *P. maximus* circiter 14 striis admodum crassis & eminentibus, & iisdem ipsis striatis insignitus, *List. A. A.* 184. *Fig. opt.* 29. *P. magnus* albidus circiter 12 striis multis minutisque incisuris exasperatis donatus, *List. H. C.* 1. 3. *Tab.* 163. *Fig.* 1. *an P. albidus* utrinque auritus, striatus, major, circiter 20 (14 *List.*) striis crassioribus donatus, *Mus. Sib.* 162. 1. *These are pretty frequent about Portland.*

A. 830. *Pecten minor nostras*, striis plurimis minoribus, *an Pecten*, *List. H. C.* 1. 3. *Tab.* 181. *Fig.* 18? *Mr. James Cunningham observed this at Deal. I have also received it from other places. List. A. A. 184.*

A. 831. *Pectunculus fluviatilis nostras Nuciformis*. *P. subviridis* parvus subglobosus, *List. H. C.* 1. 2. *Tab.* 159. *Fig. opt.* 14. *Musculus exiguus* *Pisi* magnit. rotundus subflavus ipsis valvarum oris albidis *List. A. A.* 150. *Fig.* 31. *I find this in the Rivulet between the Lord Peterborough's and the Nearhouses; and plentifully on the Sands in the Thames against Chelsea, at low-water.*

A. 832. *Pectunculus maximus* crassus nostras nigricans. *P. maximus* subfuscus valde gravis, *List. H. C.* 1. 3. *Tab.* 272. *Fig.* 108. *an P. superiore* (i. e. infra n° 833.) paulo planior, *Ejusa. H. C.* 1. 3. *Tab.* 269. *Fig.* 105? *Conchis e maximis admodum crassa rotunda ex nigro rufescens, Ejusa. A. A.* 173. *Fig. opt.* 22. *These are found plentifully in Lancashire and Yorkshire and particularly on the sandy shores in the mouth of the River Tees.*

A. 833. *Pectunculus maximus* crassus, laevis, ferè radiatus, *an Bon. an P. gravis subfuscus radiatus, List. H. C.* 1. 3. *Tab.* 268. *107.f. 64 Fig.* 104. *an Galadis Rond. aq. p.* 31. *c.* 32. *Fig. id. Gall.* 23. *c.* 27. *Fig. an Aldr. An. Ex.* 461. *c.* 54. *Fig. id. Fr.* 154. *Tab.* 11. *Fig.* 18. *A very fair one of this sort Mr. Benj. Bouchier my hearty Friend brought me from the Island of Purbeck, I have also had it from Cornwall.*

A. 834. *Pectunculus man. fossilis Richmondianus*. *Curvirostra laevis* subrotunda elatior *Luidii* *Lith. Brit. Ichthyograph. p.* 36. n° 724. *an List. H. C.* *Tab.* 512. *Fig.* 66. *These are found at Richmond in Surrey near the Wells, in a Clay-pit where they make Bricks and Tiles.*

A. 835. *Pectunculus marit. nostras edulis vulgarissimus*. *P. vulgaris* albidus rotundus circiter 26 majusculis striis at planioribus donatus, *List. A. A.* 189. *Fig.* 34. *P. capite minore rotundiore & magis aequali margine, Ejusa. H. C.* 1. 3. *Tab.* 334. *Fig.* 171. *P. ille per omnia litora frequens, COCKLE, i. e. Gallulus per totam Angliam dictus Gesn. Anim. mar. Ept.* 232. *The Common Cockle.*

836. *Pectunculus Guineensis* ex uno latere altè incisus. *an R. orbicularis* ex altero latere praelongis latisque dentibus conspicuis

conspicuis, *List. H. C. l. 3. Tab. 330. Fig. 167?* This is deeply indented on one side with a reddish bluish, otherwise it resembles the last. Mr. Edw. Bartar sent me this from Cape-Coast in Guinea.

837. *Pectunculus Jamaicensis striis fete muricatis. P. 10- ANTEGO*
nus modo ruber, modo citrinus, striis nunc ex parte, nunc ex CHAP.
toto muricatis List. H. C. l. 3. Tab. 322. Fig. 159. Mr. Rat-
 try and Mr. Sheen, Surgeons, have brought me this shell from Ja-
 maica, I have also had it from Carolina. It differs in magnitude,
 I have it of the bigness of Dr. Lister's Figure, and others much
 less.

838. *Pectunculus Carolinianus maximus. P. magnus ma- CAR 14*
culatus intus leviter rufescens List. H. C. l. 3. Tab. 328. Fig. 165. My worthy Friend Dr. Martin Lister first gave me this
 from Carolina, since which Mr. Robert Rutherford, Surgeon,
 hath also brought it me from thence. It hath the Face of our Com-
 mon Cockle, but is near as big as an Ostrich's Egg.

839. *Pectunculus lunatus Amaor. albus, crassus, sulca*
singulari notatus. P. albus admodum crassus sinu live sulca
conspicuus, List. H. L. l. 3. Tab. 305. Fig. 138. This is
 common both to Jamaica and Barbadoes.

840. *Pectunculus Carolinianus ovalis albus politus. an P. le- ANT. CHAP*
vis aut certe admodum tenuiter striates tenuis margine den- CAR 15
tata flavescens & interdum purpurascens List. H. C. l. 3. Tab.
249. Fig. 83. Major Halstead brought me these from Carolina.
 The Reverend Mr. Stonestreet hath also given it me from Ja-
 maica.

A. 841. *Pectunculus minimus laevis, intus argenteus, car-*
dine serrata GAZOPHYL. nost. NAT. & ART. Decad. 2. TAB.
17. Fig. 9. I have observed this little Silver-Cockle on our own
 Coasts, but have forgot where.

842. *Pectunculus lunatus Virginianus subrotundus ac* CAR 16
valde compressus. an P. albidus dense fasciatus latissimus ad-
modum planus, List. H. C. l. 3. Tab. 288. Fig. 124. This was
 first brought me from Virginia, and since from Carolina. Dr.
 Lister had his from Jamaica.

843. *Siliquastrum Rigensis Limacis cinerei facie, Gaz.*
nost. NATURA & ART. Dec. 2. Tab. 17. Fig. 3. Dr. David
 Krieg, F. R. S. sent me this Shell from Riga.

A. 844. *Solen nostrae vulgaris. S. major subfuscus rectus,*
List. H. C. l. 3. Tab. 409. Fig. 255. Concha fusca longissima
angustissimaque musculo ad cardinem nigro; quibusdam So-
len dista, List. A. A. 192. Fig. 37. Mus. Sibb. 167. an Bonan.
106. Fig. 57. id. Ital. 163. an Solen mas Rondelet. aquat. 43.
c. 42. Fig. id. Gallic. 31. c. 35. Fig. Gesn. An. mar. Ept. 241.
Jonst. An. Ex. Tab. 15. Fig. 20. Aldr. An. Ex. 528. Fig. id.
Fr. Tab. 16. Fig. 2. p. 176. c. 75. an Donax foem. Capo de detto
Venet. Beller. aq. 414. Fig. Concha longa Venet. Cannelupchio
 F 4

five Pesce cannella Ital. The SHEATH FISH, Mus. Reg. Sæ. 143. or RAZOR-FISH, Charl. Pisc. 67. SPOUT-FISH, Mus. Sibb. 167. In Cornwall they are called Calega. These are found in several places, especially in the Winter after storms.

845. *Trochus Barbadiensis magnus*, ex albo nigroque undatus. *T. maximus lævis & nigro maculatus*, List. H. C. l. 4. f. 8. Tab. 640. Fig. 30. an Bonan. 117. Fig. 29, 30. id. Ital. Mr. Rattery brought me this from Jamaica. Capt. Bond from the River Mississippi, and Mr. Graves from the Bahama Islands.

A. 846. *Trochus maritimus nostras orbibus elatis*. an *T. planior undatim ex rubro radiatus* List. H. C. l. 4. f. 8. Tab. 641. Fig. 32. Some of these are near as big as our Garden-Snail. Mus. nost. 13. Its Navel large and screwed, and lower Twirls somewhat knobbed.

A. 847. *Trochus Anglicus spiralis*. *T. pyramidalis variegatus*, limbo angusto in summo quoque orbe circumdatus, List. H. C. l. 4. S. 8. Tab. 616. Fig. 1. an *T. albidus maculis rubentibus distinctus 6 minimum spirarum*, List. A. A. p. 166, Fig. 14. an Bonan. 124. Fig. 89? id. Ital. p. 89. This differs from the last, in having no Navel, and being truly spiral.

A. 848. *Trochus Anglicus spiralis minor*. an *T. pyramidalis parvus ruberrimus, fasciis crebris exasperatus*, List. H. C. l. 4. f. 8. Tab. 616. Fig. 2. This is much less than the last, has a small Navel, with about five distinct Twirls.

A. 849. *Trochus nostras lineis latis oblique rubentibus*. an *T. parvus striatus undatim ex fusco dense radiatus*, List. H. C. l. 4. f. 8. Tab. 641. Fig. 31? This pretty umbilicated Shell is about the bigness of a Hazel-nut, and found in many places on our Sea-shores.

A. 850. *Trochus nostras lineis angustis oblique rufescentibus*. an *T. crebris striis fuscis & transversè & undatim dispositis donatus*, List. A. A. 166. Fig. 15? The spots and lines in this are much smaller, brownish and finer than the last, and scarcer to be met with.

Plantæ Miscellanæ, Ordine Alphabetico dispositæ.

Bery. 27 — 851. *Adhatoda Malaccensis* fl. rubro, *Parietariæ* folio nonnihil serrato.

852. *Adhatoda* è *Promont. Tricuspidato* folio majore, floribus verticilli modo dense stipatis. This and the following were gathered at Cape tres Puntas, near Cape Coast in Guinea, by Mr. Skeen, Surgeon.

853. *Adhatoda Prom. Tricuspidat.* fol. angustiore, floribus paucioribus.

854. Ad.

854. *Adhatoda Suratsensis* Lauri folio spicata, flore barbato. 3. 37.
855. *Adiantum pumilum*, segmentis angustioribus rigidis,
ex *Insula S. Helenæ*. This I had from my worthy Friend
Mr. Charles Dubois.
856. *Alga Capensis* denticulis capillaceis, vesiculis lyratis. 2.
857. *Amelanchier Chusanensis* folio parvo subrotundo rigido. This with many other very rare Plants Mr. James Cuninghame sent me lately from Chusan, an Island near China.
858. *Androsace Chusanensis*. *Cortusa Matthiæ* folio. 6. 33. 8.
859. *Angola Chusan*. *Pruni* folio, calice amplo.
860. *Anonymus Chusan*. fl. spicatis, petalis tribus angustis.
861. *Apios ex Insulis Crocodilorum* folio latiori brevi. I received this with several others collected by Mr. James Cuninghame in the Crocodile Isles, which are three in number, lying in 26 d. Lat. and about six leagues from the River Hocksiu in China.
862. *Aphyllanthes Capensis* spica singulari. 156.
863. *Arbor Capensis*, folio digitato, flore spicato.
864. *Arbor Chusan*. *Lauro-cerasi* folio ferrato.
865. *Arbor Chusan*. Lauri folio ferrato subtus molli, virgulis verrucosis.
866. *Arbor Lauri* folio crasso coriaceo rigido, ex *Combuys Insula*. This Island lies near Java, gathered by Mr. James Cuninghame, Jun. 19. 1701.
867. *Arbor Emuyaca*, flore minimo stamineo albente, Illicis folio.
868. *Arbor Javanica*, fructu *Charamei*. l. c. 109. 2.
869. *Arbor Malaccensis*, *Castanei* foliis. 3. 28.
870. *Arbor Zeylanica*, FORTUNATA quibusdam dicta. 3. 41.
871. *Arum Widense* *Sagittariæ* facie, pediculis ferè spinosis.
Gathered at Wida in Guinea by Mr. Skeen, Surgeon.
872. *Arundo capitulis acerosis* è *Capite Bonæ Spei*. 27
873. *Arundo Phalaroides*, è *Cop. Bonæ Spei*. 28
874. *Asarum* fl. minimo, ex *Insula S. Helenæ*.
875. *Aster Chusan*. foliis superioribus integris, inferioribus Coronopi.
876. *Baccifera Chusan*. racemifera, *Loti arboris* folio.
877. *Baccifera Chusan*. racemosa, *Arbuti* folio.
878. *Baccifera Chusan*. *Theæ* folio.
879. *Baccifera Crocodyl*. *Celastris* folio.
880. *Baccifera Emuyaca* dispermos scandens *Flamulæ* facie.
881. *Bartarius* seu *Arbor Guineensis* floribus *Periclymeni comosis*. This beautiful Tree Mr. Edw. Bartar sent me from Cape Coast. an *Honourable M. Anin*. 39.
882. *Bocras Malaccensis*, *Arbor Urucu* folio, *Nuce astrin-* 3. 29
gente.
883. *Boisow Javanensis*, *Arbor Pruniformis*, fructu lacto- 2. 15.
scente,
884. *Bulbosa*

884. Bulbosa facie planta *Widenf.* Galathea folio.
 885. Bulbosa facie planta *Widenf.* Yucca folio latiore.
 886. Calamintha *Chinens.* Teuerii folio fl. staminoso.
 887. Camphorosmos *Chusan.* flore piloso.
 888. Carambu *Emuyac.* Persicariae foliis hirsutis.
 889. Carambu *Widenf.* Persicariae foliis glabris.
 890. Caulalis *Capensis* Fumarie folio glauco. Given me by
 that curious Physician and Botanist Dr. John Philip Breynne, Son
 of the Celebrated Jacobus Breynius of Dantzick. I also remem-
 ber to have seen it the last Summer in that Paradise of a Garden,
 the Duchess of Beaufort's at Badmington.
 891. Cerasus *Chusan.* floribus minoribus plenis.
 892. Chamærhododendron *Chusan.* fl. albo, Myrti Roman.
 folio.
 893. Chamærhododendron *Chusan.* fl. cœruleo, foliis & ca-
 lycibus hirtis.
 894. Chamæsyce forte lignosa foliis dense stipatis, & Cap.
 Bonæ Spei.
 895. Christophoriana forte Emuyaca, spinosa, Mori folio
 molli.
 896. Chusanicus seu Planta capreolata Arb. Judæ folio, fl.
 spicato.
 897. Clematis *Chusan.* folio cordato umbilicato.
 898. Coccifera *Crocodil.* Pimienta *Formicensis* folio.
 899. Coccus Reniformis scandens *Emuyacus*, Cotini folio
 subrus molli.
 900. Conophorus *Capens.* fol. angusto summo dentato.
 901. Convolvulus *Carolinianus*, fl. minore sanguineo. This
 is a pretty ornamental Plant, and hath flowered plentifully in
 Mr. William Darby's Garden at Hoxton.
 902. Conyza *Chusan.* pilosa, folio Sonchi integro.
 903. Crotoparia *Prom. Trieuspid.* Cupang folio subrus molli.
 904. Cynoglossum *Chusan.* summo latè ramoso.
 905. Cytisus *Crocodil.* foliis parvis subrus villosis.
 906. Dentellariae fructu Arbor *Madraspat.* spinosa.
 907. Dracontii folio pediculis nervisque spinosis, Planta
Malaccensis.
 908. Duriones facie Arbor *Benghalensis.*
 909. Euonymus *Chinens.* Glycyrrhizæ folio.
 910. Euonymus fortè *Chusan.* Berberidis folio.
 911. Euonymus *Crocodil.* Lauro-cerasi folio.
 912. Euonymus *Emuyacus* Perwinæ majoris folio, bacca
 solitari, vasculo bipartito vel tripartito inclusa.
 913. Eupatorium *Crocodilian.* Leonuri folio.
 914. Fagara *Madraspat.* foliis Aurantiis ternis.
 915. Fagi foliis minoribus Planta scandens *Caroliniana.*
 916. Ficus *Chusanensis*, Mori folio.
 917. Ficus

917. *Ficus Chusan*, minima nigrescens fol. integro, superne scabro, subtus molli. *It bears fruit in September.*
918. *Ficus forte Chusan*, folio vulg. facie sed molliori.
919. *Ficus Malaccens*, fol. oblongo integro, subtus albicante. B. 31.
920. *Ficus forte Prem. Tricuspidat.* folio oblongo magno crenato. H. 146.
921. *Ficus forte Prem. Tricuspidat.* folio acuminato serrato, basi latiore. H. 146.
922. *Ficus forte Pr. Tricuspid.* folio trifido.
923. *Ficus Widenst.* fol. lato cuspidato margine transparent.
924. *Ficus Widenst.* fol. nonnihil crenato, subtus pulchre venoso. H. 145.
925. *Frutex Crocodil.* fol. alatis subrotundis glaucis subtus albidis. G. N. 34. XI. K. A. M. A.
926. *Frutex Crocod.* Fagi foliis parvis venis subtus purpureis.
927. *Fucus latissimus membranaceus carneus*, è Cap. B. S. 4.
928. *Gambogium fundens arbor Fagi* folio permaximo sub-
tus holosericeo. *Offic. Bona. 46.*
929. *Geranium Capense Hederae angulosæ folio.* *This singular and beautiful Cape-Plant I saw the last Summer in the Duchess of Beaufort's most curious Garden at Badmington near the Bath.*
930. *Hai-hoa Chinenstibus flore albo*, filiquis gummosis articulatis.
931. *Ham-law Chinenst.* Arbor flore albo, calyce hirsuto.
932. *Jacea Caroliniana*, Salicis folio crenato.
933. *Jacea Carolin.* Salicis folio crenato capitulis pilosis.
These two Elegant Plants my kind Friend Mr. Edmund Bohun brought me from Goose Creek in Carolina, with many others wholly new.
934. *Jacobaea Capensis Cardui folio* subtus albicante. *An Jacobaea Africana Sonchi folio* *Oldenb. Institut. Rei Herbar. 487.*
3? This I gathered in flower, amongst many other uncommon sorts of Ragwort, in her Grace the Duchess of Beaufort's Garden at Badmington, A. D. 1701.
935. *Jacobaea Chusan.* folio hirs.
936. *Jujuba folio minore*, planta repens *Chinenst.*
937. *La boe Chinenst.* Arbor fl. luteo. fol. acutis bitis decussatis.
938. *Lactuca Emuata perfoliata*, Sonchi folio.
939. *Lauro-cerasi folio suffrutex scandens Malaccens.* lacte-
scens. B. 34.
940. *Lauri folio rigido alato Arbor Malaccens.* B. 33.
941. *Lauri folio maximo Arbor Prem. Tricuspid.* floribus
filamentosis spicatis. H. 138.
942. *Lauri folio Arbor Pr. Tricuspid.* apice verruculis den-
tato. H. 144.
945. *Man-*

H. 204.

H. 70.

H. 227.

B. 38.

H. 10.

G. N. 34. 3.

H. 90.

H. 56.

H. 55.

943. Lotus arbor *Emuyata*, Betulae folio.
 944. Lupulus *Chusan*. minor, Rubi folio.
 - 945. Mandioca facie Arbor *Pr. Tricuspid.* foliis subtus lanuginosis.
 946. Melilotus *Capensis*, flore speciosiore.
 - 947. Nicotianae folio angusto lanuginoso Frutex, *Pr. Tricuspid.*
 948. Oxyacanthus *Chusan*. Pyracanthae folio.
 - 949. Patsjotti *Pr. Tricuspid.* floribus minoribus. *This is very like the Katou Patsjotti, Hort. Malab. vol. 5. Tab. 7. p. 13. & S.B. vol. 3. 98 & 136. Act. Phil. N° 271. p. 843. But their Flowers and Calyces are much smaller.*
 950. Persicaria *Chitrus*. fol. subtus albido.
 951. Periclymeni flore frutex *Emuyac.* Pervinae majoris folio.
 952. Periclymeni flore Frutex *Suratensis*, Persicariae folio subtus albente.
 953. Phaseolus *Chusan*. siliqua hirta folio angustissimo.
 954. Phaseolus *Chusan*. siliqua hirta folio latiore.
 955. Phaseolus *Guineens.* fol. subrotundo, *Lentis* siliqua.
 - 956. Phyllitis *Chusan*. ramosa, pinnis alternis basi superiore auriculatis.
 957. Pimenta *Chusan*. Buxi folio, floribus filamentosis.
 958. Pimenta *Chusan*. Melissae folio, flore petalofo.
 959. Planta *Caroliniana* scandens, Fagi fol. minore pulchre venoso. *This pretty Climer I observed at the Duchess of Beaufort's at Badmington. 14. 9. 18.*
 960. Planta *Guineens.* Polygonati folio cuspidato dense stipato.
 961. Plantaginis aquaticae facie Planta *Widensis*, fol. alternis
 962. Pruni sylv. facie Frutex *Emuyac.* spinis fere foliosis
 - 963. Pyracantha folio frutex, floribus spicatis muscolis.
 964. Quinefolium *Chusan*. folio subtus incano albo.
 965. Ricinus *Chinens.* Sebifera, Populi nigrae folio.
 966. Ricinus *Emuyac.* Verbasci folio, fructu farinaceo.
 - 967. Ricophora *Javanica* trifoliata, Malabathri folio.
 968. Ros solis *Chusan*. perelegans, caule folioso.
 969. Rosa forte *Chusan*. Trichomanis folio.
 970. Rubiae facie Planta *Crocodil.* cordato folio.
 971. Ruyschiana, *Echii* flore Planta *Capensis* Carthami folio Aparines fructu. *This strange Cape-Plant Dr. Fred. Ruysch sent me from Amsterdam.*
 972. Samolus *Emuyac.* Rorismarini folio.
 973. Samolus *Guineens.* floribus racemosis, fol. capillaceis interspersis.
 974. Scandens *Emuyaca*, capreolata planta, foliis cordatis serratis,
 975. Se

975. *Serratula Chusan.* fol. hastato.
 976. *Serratula Chusan.* fol. subtus incano albo.
 977. *Siliquifera Chusan.* Fraxini folio, fructu holosericeo.
 978. *Shewkow Chinenf.* fol. oblongo serrato nervoso.
 979. *Shuran Chinenf.* Arbor trifoliata, floribus minimis racemiferis.
 980. *Stachadis Spica, Planta Chusan.* Galeopsis folio. *This odd Plant, with many others my Worthy and Curious Friend, Mr. James Cuninghame, sent me lately from the Island of Chusan, which lies in 30 deg. and about 10 min. Lat.*
 981. *Styrax liquida* fol. minore, ex *Insula Emuy.* l. *Lin.* 134. 4.
 982. *Taxi* folio Arbor *Japonensis, Singloo* dicta. B. 9.
 983. *Thea Chusan.* floribus majoribus fol. Alaterni serrato. *Chy 87.*
 984. *Thea Chusan.* flor. minoribus, fol. Alaterni cuspidato. *Chy 85.*
 985. *Thea Chusan.* sylvestris non potabilis. *The Flowers much the same with the common, but the Leaves less and thicker.*
 986. *Trachelium Carolin.* fl. purpureo uno versu disposito, *Asclepiadis* folio.
 987. *Vaccinia Chusan.* fl. rubuloso, Pruni folio.
 988. *Valeriadendron Madraspatan.* minus.
 989. *Viburnum Chusan.* Spinosum, folio digitato. *Pl. 409. 4.*
 990. *Vitex Crocodil.* fol. oppositis Arbuti.
 991. *Vitis facie frutex Emuyac.* fol. serratis integris & t-partitis.
 992. *Vitis* forte *Emuyac.* fol. trifido dentato.
 993. *Ulmi* folio minore frutex *Chusanensis.*
 994. *Ulmi* folio minore splendente *Emuyac.*
 995. *Volubilis Chinenf.* Lauro-cerasi folio minore.
 996. *Waga Guineens.* spinosa, Mimosa facie lignosa.
 997. *Yang diu Chinenf.* Arbor Salicis folio ramulis pendulis. *This is frequently painted on their Japan work. Of its wood they make Arrows.*
 998. *Yahap Chinenf.* Arbor fl. albo, folio Anonæ venoso.
 999. *Zizyphus Chusan.* foliis subtus argenteis, floribus minoribus.
 1000. *Zizyphus Chusan.* Suberis folio, subtus punctato.

Contributors of (see) Spenser, Hoggel, Stroker, Kanel, Gervin, &c.
Cun. & Cuninghame. Hanningbury & Sebastian. &c.
Rancok. Hay
Rayford.
Pate Surg.

An ABSTRACT of some Collections received, not mentioned in my former Cen- turies. 1759.

1. **I**N her Grace the DUCHESS of BEAUFORT's most Noble Garden and Matchless Stoves at Badmington in Gloucestershire, I the last Summer met with many New, Rare and very curious Plants, most of them raised to that Perfection I never saw before.

2. From Mr. JACOB BOBART, Botanick Professor of the Physick Garden at Oxford, I have at times received several curious Plants raised in that Garden under his Care.

3. Dr. JOANNES PHILIPPUS BREYNIUS (Son of JACOBUS BREYNIUS that late Celebrated Botanist) hath been pleased to give me several uncommon Plants, which he had collected the last Summer out of the most Curious Gardens in Holland, and hath promised me greater Favours at his return to Dantzick.

4. Mr. EDMUND BOHUN hath again been pleas'd generously to present me with great variety of Insects and several Books of Plants, which he collected in Carolina.

5. I am much obliged to Mr. EDWARD BULKLEY at Fort St. George for several Curious Plants, Shells, Insects, &c. which, since Mr. SAMUEL BROWNE's Death, he hath been pleased frequently to procure me, which I intend to give some Account of, with what else he shall particularly favour me with.

6. The Reverend Father GEORGE JOSEPH CAMEL hath again been pleased to favour Mr. RAY and me with the accurate Descriptions and Designs of several new Plants he hath observed to grow in the Philippine Isles. I have also lately received divers Insects from him, and other Curiosities which shall suddenly be Figured and Described.

7. Mr. MATTHEW COLVILL, Surgeon, gave me a Collection of such Shells he found on Pulo Verara, an Island near Malacca.

8. Mr. JAMES CUNINGHAME. To this Curious Person I am beyond expression obliged, not only for what he has formerly done, but also lately performed, viz. in his last Voyage to China he sent me Collections from the Cape of Good Hope, as also from Comoreys near Java, and the Crocodile Isles, and twice from the Islands of Chusan, from whence I have received near two hundred several Plants, most of them altogether New, to these he has added such Insects, Shells, &c. as he met with, some of which are already Figured in the First and Second Decade of my *Gazophylacium Natura & Artis*, and others you may expect in my Third, &c.

9. To Mr. FIFIELD, Surgeon, I am obliged for some Shells and Plants he gathered in the Bay of Campeachy, and particularly for some Sprigs of the Logwood, which I never saw in England before.

10. Madam ELIZABETH GLANVILLE. To this Curious Gentlewoman I am obliged for an hundred Insects lately sent me (besides others she gave me before) which she had observed in the West of England, several of them being altogether new to me.

11. Dr. CHARLES GOODALL, Physician to the Charter-house and one of the College, observed this last Autum, near Tunbridge-Weils, several Curious Mushrooms which he was pleased to give me.

12. Mr. CLAUDIUS HAMILTON, Surgeon, was pleased some time since to give me a Book of Plants he had collected in Barbadoes, with his Observations on them.

13. From Mr. JAMES HAMILTON, Surgeon in Edinburgh, I have received several Curiosities.

14. To Dr. DAVID KRIEG, F. R. S. I am obliged for some Curiosities he sent me from Riga in Livonia, whilst that City was besieged, and for others since from Paris.

15. The Reverend Dr. LEWIS hath been pleased to favour me lately with some Shells, &c. part of which you may see in the Philosophical Transactions, N^o 282, and others are Figured in the second and third Decades of my Gazophylacick Tables.

16. In his Lordship the BISHOP of LONDON's Curious Gardens at Fulham, I yearly see many Rare Plants, and several of them not to be met with in any other Garden in England.

17. Dr. NISSELE, a Physician and very Curious Botanist at Montpellier, has been pleased to send me a Collection, finely preserved, of such Rare Plants as I desired, growing thereabouts.

18. My kind Friend Mr. RICHARD PLANER, Surgeon, hath again brought me several Plants and Insects from the Coasts of Guinea, not yet taken notice of, some of which I shall suddenly figure.

19. Mr. RANCE, Surgeon, was generously pleased to give me a Collection of such Shells, &c. he found on the Island of Borneo.

20. To Dr. RICHARD RICHARDSON, a Curious Naturalist and Physician, I am indebted for many Rare Plants, Fossils, &c. which he hath observed in the North of England.

21. I have again from Dr. FREDERICK RUYSCH Anatomick and Botanick Professor in Amsterdam, received several Cape-Plants and Foreign Insects.

22. I am obliged to that Accurate Botanist Dr. WILLIAM SHERARD, for divers Specimens of Plants, several of which I had not before.

23. Mr. JAMES SKEEN, Surgeon, was pleased to present me with three or four Books of Plants, with such Shells and Insects as he and Mr. WATT, Surgeon, deceased, had observed at Cape tres Puntas and Wida on the Coast of Guinea.

24. Mr. JOHN STAREMBURGH. From this Gentleman I have received many Curious Cape-Plants very neatly dried, as also some Insects, which are figured in my first and second Decades, and I am daily in expectation of the arrival of many more Curiosities from him.

25. Mr. JOHN STOCKER hath again been pleased to bring me some Shells and Insects, which he hath met with in another East-India Voyage.

26. From Mr. JAMES SUTHERLAND, Superintendant of the Physick Garden at Edinburgh, I have received several uncommon Northern Plants, which he had gathered wild in Scotland.

27. I am again obliged to that Celebrated Botanist Dr. PITTON TOURNEFORT, Physician, one of the Royal Academy of Sciences, and Botanick Professor of the Royal Garden at PARIS, for not only his Institutiones Rei Herbariae, but also for many Curious Plants, several of which he gathered himself in Spain and Portugal.

28. To Mons. VALENT (Secretary to Dr. FAGON, Chief Physician to the King of FRANCE) I am indebted for several uncommon Plants, growing about Paris and elsewhere, very curiously preserved.

29. To that Curious Preserver of all Natural and Artificial Rarities *My* Heer LEVINUS VINCENT at *Amsterdam*, I am very much obliged for divers admirable *Insects* he hath lately sent me.

30. Mr. THOMAS WALKER. This Generous Gentleman, at the desire of my kind Friend Mr. ROBERT ELLIS, hath lately sent me Specimens of the *Brasiletto Wood*, and some other *Trees* and *Plants* from *New Providence*, one of the *Bahama Islands*; for which I am extremely obliged to him, and for his kind Promises of greater Performances, by the next and all Opportunities.

31. *Madam WILLIAMS*. This Gentlewoman, tho' altogether a Stranger, was so kind as to send me several *Curious Insects*, especially *Butterflies*, which she had observed about her Residence in *Carolina*. These my hearty Friend Major WILLIAM HALSTEAD brought me with several *Curiosities* of his own collecting, as *Plants*, *Shells*, &c.

32. A certain *Curious Person*, whose Name at present I am obliged to conceal, hath sent me, from *Carolina*, several *Plants* of that Country with his Remarks on them. *Mr Joseph Lord*.

What is most *Curious* in these *Collections* and some others, which, for want of room here, I must refer to another opportunity, shall be *Figured* in the third Decade (my second being just finished) of my *GAZOPHYLACIUM NATURÆ & ARTIS*, with what else is uncommon, either in *Nature* or *Art*, that shall be communicated to

From my House in Aldersgate-
street, LONDON. Jan.
16. 1703.

Your humble Servant,

JAMES PETIVER.



FINIS.

LONDON:


Printed for Sam. Smith and Chr. Bateman,
M DCC III.

O Apr. 14-17th. M^r Weymss brought me some shells
he gathered on the shore at Legon. 96

. A Green Lizard & a Tortoise with a cast of its shell.
He kept 6 months without food. There was but
one of the shell.

. He brought me from Dr. Conkling a collection
of shells most from the region of the
M. There a Legon Apothecary gave him

John Weymss.



Dec. 27. 1704. Recd from Dr John Crafts some
shells found in this party by Dr Crafts
Apothecary General to Sir Major Genl
Flammarion.

Feb. 8. 1705. Dr m. Bayford some shells from
March 15. 1705. The same gave several small shells

Nov. 21. 1705 m. Wyburn brought me some
shells from Vater Bruggs, Poland also a League for
Batavia & some Medicinal Druggs from Canton
in China.

Dec. 4. 1705. Recd a Box of Plants from Dr
in Carolina with his notes on y^m.

Dr John Storck hath again presented
some Plants from St Helena, as also se-
veral shells from Apurukon, as also very lately
Dec. 13. 1705. with some more shells from y^m
~~and~~ with other Animals from Thered
part.

Dr Will. Clerk my hearty Friend on Dec
1705 brought me several Insects from many
with y^m remainder of such things as he had
before sent me.

Dr. Miller at Bichysgate has sent
me presented me with Divers Curiosity.

Dr George Lewis,

Dr Wm. Buckley

Dr John Gray on March 2. 1706. gave me
very fair Crabs with some shells & Corals from
Middlenee &c.

... of ... 24th
... of ... 27. 3 ... of ...
... ..

M^r Hunter brought me some Shells from Acapulco
Sept 21.

Father Lamell's Shells Mushrooms & M^r Dullay's ...
... of M^r Theobald's with his Chinese Druggs 7 Mar. 22. 7

M^r W. L. Browne Surg. Master to M^r Alex. Bartlett
... Surge of ... from Mexico ...

And 8 Sept 11. 1713 Several Shells Corals Plants & ...

Hospital de
ville Royale dans Aldersgate Street
Monsieur Vaillant

